


2011
ALL-NEW SUPER DUTY®
CHASSIS CAB



commtruck.ford.com



TESTED TOUGH

to **OUTWORK**
all the rest.



F-550 XL Regular Cab 4x4 in Oxford White with available and aftermarket equipment

The All-New 2011 Super Duty[®] Chassis Cab – proudly presented by Ford Motor Company.


America's Most Versatile Chassis Cab is now even better. Purpose-built new Ford powertrains help this Super Duty deliver **IMPROVED DIESEL FUEL ECONOMY** along with more torque. Standard new traction control systems increase towing confidence. An available new class-exclusive¹ Live-Drive Power TakeOff (PTO) provision gets the job done with ease. And this all-new rig has **ALREADY PROVEN ITSELF IN MORE TORTURE TESTING** than any Ford Super Duty before it.

¹Class is Chassis Cab Trucks under 22,000 lbs. GVWR.
Vehicles throughout this PDF are shown with optional and aftermarket upfit equipment.

2011 ALL-NEW SUPER DUTY[®] CHASSIS CAB

commtruck.ford.com






IMPROVED
FUEL ECONOMY
and **660** other
TORQUED-UP REASONS TO
GO DIESEL.

6.7L V8 DIESEL PERFORMANCE

The all-new 6.7L V8 Turbo Diesel delivers **MORE MAX. TORQUE**, at lower rpm, than its predecessor.



- A ALUMINUM CYLINDER HEADS** with precision dual water jackets reduce weight and improve cooling.
- B CLASS-EXCLUSIVE INBOARD EXHAUST AND OUTBOARD AIR INDUCTION** architecture helps reduce turbo lag.
- C NEW COMMON-RAIL FUEL INJECTION SYSTEM**, operating at nearly 30,000 psi, uses precise control to provide optimum power, efficiency and noise, vibration and harshness (NVH) performance.
- D NEW SINGLE-STAGE VARIABLE-GEOMETRY TURBOCHARGER** uses a compact, efficient design to help deliver maximum power quickly.
- **ENGINE-EXHAUST BRAKING** helps provide better grade descent control with less brake and transmission wear and tear. Fully integrated with Tow/Haul Mode, it provides increased engine braking at higher engine speeds.
- **NOTABLY QUIETER** with a more refined sound signature.
- **CLEANEST SUPER DUTY DIESEL EVER** reduces nitrogen oxide (NOx) levels by more than 80% compared to last year. It's also clean-idle exemption certified.



All-New Ford 6.7L Power Stroke® V8 Turbo Diesel.

Designed, engineered and built by Ford, this all-new diesel helps Super Duty® deliver up to a **24% IMPROVEMENT IN FUEL ECONOMY**, while also giving you more torque. We're talking a massive 660 lb.-ft. of torque. That's a game-changing combination. And even though this **B20-CAPABLE** engine is new to the lineup, it's already proven itself in over 10 million miles of cumulative testing. It's the **MOST TESTED POWER STROKE DIESEL ENGINE EVER**.


Turbo shown does not represent Chassis Cab.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



6.2L V8 GAS PERFORMANCE



- A DUAL-EQUAL VARIABLE CAM TIMING** phases the intake- and exhaust-valve opening and closing events simultaneously to optimize fuel economy, low-end torque and peak horsepower.
- B 2 SPARK PLUGS PER CYLINDER** burn the fuel-air mixture more efficiently for better fuel economy and increased engine torque.
- C STIFF SOHC VALVETRAIN** with roller-rocker shafts and optimized camshaft-lift profiles produces significant low-rpm torque and enables an intake- and exhaust-port layout that leads to better breathing.
- D CYLINDER BLOCK DESIGN** is specifically engineered to optimize the efficiency of crankcase airflow, resulting in improved torque at higher engine speeds; cast-iron engine block and 4-bolt main bearing caps, with 2 additional cross bolts, provide extreme durability.
- PISTON-COOLING JETS** spray oil directly on the underside of the cast-aluminum pistons to keep them cooler under extreme operating conditions; they also contribute to increased overall efficiency.

¹Certified to SAE J1349. 385 hp and 405 lb.-ft. of torque under 10,000 lbs. GVWR. 316 hp and 397 lb.-ft. of torque over 10,000 lbs. GVWR.

All-New Ford 6.2L V8 Gas Engine.

As the new standard engine on F-350, this free-breathing Ford-built machine delivers best-in-class **385 HORSEPOWER** and **405 LB.-FT. OF TORQUE**. It features large valves and a large-bore, shorter-stroke approach – proven technologies inspired by Ford racing – that help improve its breathing. And you can rest assured this all-new **E85-CAPABLE** engine is ready to get to work. The Ford powertrain team designed, engineered, built and torture-tested it themselves.


BEST GAS

horsepower and torque

IN CLASS.



6.8L V10 GAS PERFORMANCE



Proven Ford 6.8L 3V SOHC V10.


THE ONLY V10 GAS POWERPLANT IN THE CLASS gets your heavy loads moving with up to 457 lb.-ft. of torque and 362 horsepower on F-450 and F-550. It's paired with a TorqShift® 5-speed automatic transmission featuring a massive torque converter, beefy gear sets and a selectable Tow/Haul Mode. The optional **NEW CNG/LPG PREP PACKAGE**² includes hardened valves and valve seats to help ready your Super Duty® for alternative-fuel upfits.

²Available Summer 2010.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com





- A ALL-NEW TORQUE CONVERTER** with low-speed lockup capability (down to 900 rpm) enables the engine to run efficiently at a lower rpm for improved fuel economy.
- B EXCLUSIVE LIVE-DRIVE POWER TAKEOFF (PTO) PROVISION**, available on the 6.7L Power Stroke® diesel, is the only one in the class that uses an output gear linked directly to the engine crankshaft to power upfits anytime the engine's running, whether you're in motion or at a stop. Aftermarket PTO upfit shown.
- C HIGH-ENERGY FRICTION PLATES** are engineered with fluid lube paths to help improve cooling and wear resistance while minimizing torque loss.
- D BIGGER AND STRONGER GEARS** have a lower 1st-gear ratio for improved launch performance and uncompromising durability.
- E NEW HIGH-CAPACITY, HIGH-EFFICIENCY FLUID FILTER** extends fluid- and filter-change intervals up to 150,000 miles.
- **PROVEN POWER FLOW** provides seamless shifting and a double-overdrive to help keep you in the power sweet spot for optimum performance and fuel economy.
- **HIGH-STRENGTH SINTER-METAL CARRIER** with patented Ford rocker one-way clutch is designed to easily handle the enormous low-end torque of the diesel engine and the high speeds of the gas engine.

HEAVY-DUTY

to **HARNESS** all the power.

All-New Ford TorqShift® 6-Speed SelectShift Automatic™

Blending the control of a manual with the convenience of an automatic, the new SelectShift Automatic allows you to use its **FULL MANUAL MODE** to lock the torque converter and hold your chosen gear. Or utilize the **PROGRESSIVE RANGE SELECT** mode to lock out upper gears when the truck is heavily loaded or when towing on grades. Your options are open.

Designed, engineered and built by Ford, this heavy-duty transmission is filled with innovations, including an **ENHANCED TOW/HAUL MODE** that provides better control while hauling heavy loads or towing trailers, especially when descending steep grades. And it's all been proven over **10 MILLION MILES OF CUMULATIVE TESTING**.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



26,400^{LBS.} of POWERFUL POTENTIAL.



F-550 XLT 4x4 SuperCab in Oxford White with available and aftermarket equipment


More Towing Capability Than Ever.

Some jobs require more than a great upfit, like when you've got additional equipment to get to the site. With a maximum towing capacity of 26,400 lbs.,¹ the all-new Super Duty® Chassis Cab tows up to **7% MORE THAN LAST YEAR**. To help you keep track of your load, telescoping trailer tow mirrors are standard on every model. The available **CLASS-EXCLUSIVE POWERSCOPE™ TRAILER TOW MIRRORS** adjust, fold and telescope at the touch of a switch. They also feature heated glass and manually adjustable spotter mirrors. These and other smart features help Super Duty deliver **ULTIMATE TOWING CONFIDENCE AND CONTROL**.

The available factory-integrated **TRAILER BRAKE CONTROLLER** uses braking input, vehicle speed and ABS logic to balance the performance of the truck brakes and electric trailer brakes.² Output, gain levels and connection status display in the message center.



ENHANCED TOW/HAUL MODE on the diesel powertrain manages gear selection to help keep the engine in its power band for optimal performance while towing and hauling. Fully integrated with the diesel engine calibration, it allows engine braking at higher engine speeds.



EXCLUSIVE NEW TRAILER SWAY CONTROL (shown),³ standard on SRW models, uses a yaw motion sensor to monitor the motions of your truck and detect trailer sway. When trailer sway is detected, the system can automatically react by selectively braking, helping you **MAINTAIN CONTROL** of both the truck and the trailer. On DRW models, the standard driver-selectable Engine-Only Traction Control function can automatically step in to reduce power when it detects a loss of traction.

¹When properly equipped. ²Trailer Brake Controller verified to be compatible with electrically actuated drum brakes only. ³Remember that even advanced technology cannot overcome the laws of physics. It's always possible to lose control of a vehicle due to inappropriate driver input for the conditions. For more information on Trailer Sway Control, visit fordvehicles.com.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



TOUGHNESS


you can **TRUST.**

Solid Foundation for Extreme Adaptability.

The all-new 2011 Super Duty® Chassis Cab is Built Ford Tough® with the versatility to support a huge range of applications. And it's backed by **60+ YEARS OF HARDWORKING EXPERIENCE** in the field. Regular Cab, SuperCab or Crew Cab. Flexible seating configurations. Factory-installed upfitter switches and manually telescoping trailer tow mirrors – just a couple of its valuable standards. Rest assured, whatever challenges your work involves, Ford offers a Super Duty Chassis Cab designed to rise to the occasion.

- A NEW FUEL TANK OPTIONS** include an available 28-gallon midship tank or an available dual setup (diesel engine-equipped DRW) that gives you two tanks to provide 68 gallons of total fuel capacity – more than a 15% increase over last year.
- B STANDARD 4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS)** uses vented rotors and dual-piston callipers for consistent stops, even with the heaviest loads.
- C OPEN C-CHANNEL CONSTRUCTION** includes industry-standard 34" frame-rail spacing and straight frame rails behind the cab to accept a broad range of aftermarket bodies.
- D LOW-CAB DESIGN** optimizes the all-new Super Duty Chassis Cab for a wide array of over-cab upfits.

- E DUAL ALTERNATORS WITH 357-AMP RATING** are optional with the all-new 6.7L Turbo Diesel engine; they provide 11.5% more peak amperage than the previous generation.
- F NEW STEERING SYSTEM** on F-350 4x2s is symmetric left to right for more precise response with better on-center steering and control.
- **NEW INTELLIGENT OIL-LIFE MONITOR™** (on diesel) tracks oil temperature, filter regeneration cycles, engine idle hours and mileage, then alerts you when it's time to change the oil.



2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



MOST EFFICIENT MOBILE OFFICE in its class.

Class-Leading Storage Solutions And Much More.

With its collection of available technologies, **BEST-IN-CLASS INTERIOR STORAGE** possibilities, including the **MOST LOCKABLE STORAGE**, and the most power access available in the class (up to 6 locations), Super Duty® is built to help you take care of business. A steadfast favorite of those determined to work regardless of the weather, the available **RAPID-HEAT SUPPLEMENTAL CAB HEATER**¹ helps raise the cabin temp so you and your crew can warm up even when it's downright frigid outside.



XLT in Steel Cloth with Ford Work Solutions In-Dash Computer and other available equipment



Only the toughest name in trucks offers these smart tools for your tough jobs. The available **INTERNET-CAPABLE IN-DASH COMPUTER** features Garmin® Navigation, hands-free calling and a convenient touch screen with wireless keyboard. From spreadsheets to surfing the web, it helps tackle your workload and ease your day.² Take advantage of the available **CREW CHIEF™** fleet management system² from Microlise™ to track your vehicles and keep them in shape with optional diagnostic/maintenance reports.³ This beneficial system can be accessed from the Ford Work Solutions™ in-dash computer, or any computer connected to the Internet.



FRONT LOCKABLE UNDERSEAT STORAGE with a 12-volt power point is included on the available 40/20/40 split front seat on XLT and LARIAT.



NEW 110-VOLT POWER OUTLET is located on the back of the available flow-thru center console. Standard on LARIAT; optional on XLT.

Ford Work Solutions include Ford Licensed Accessories. See dealer for limited warranty details.

¹Optional on models equipped with the 6.7L Power Stroke® V8 Turbo Diesel engine ²Some features are unavailable while driving. Not available with SYNC® or SIRIUS® Satellite Radio. See your dealer for details. ³Service fee required.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



MODELS

F-350

MAXIMUM CAPABILITIES¹

5th-Wheel Towing: 16,500 lbs.

Conventional Towing: 15,000 lbs.

Payload: 7,220 lbs.

GCWR: 24,500 lbs.

GVWR: 13,000 lbs.

Front GAWR: 5250 lbs. (4x2); 6000 lbs. (4x4)

EQUIPMENT CONFIGURATIONS

Engines: 6.2L Gas V8 Flex Fuel E85-capable

6.7L Power Stroke® V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Single Rear Wheel or Dual Rear Wheel

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

F-450

MAXIMUM CAPABILITIES¹

5th-Wheel Towing: 21,400 lbs.

Conventional Towing: 16,000 lbs.

Payload: 9,976 lbs.

GCWR: 30,000 lbs.

GVWR: 16,500 lbs.

Front GAWR: 7000 lbs.

EQUIPMENT CONFIGURATIONS

Engines: 6.8L Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

F-550

MAXIMUM CAPABILITIES¹

5th-Wheel Towing: 26,400 lbs.

Conventional Towing: 16,000 lbs.

Payload: 12,711 lbs.

GCWR: 35,000 lbs.

GVWR: 19,500 lbs.

Front GAWR: 7000 lbs.

EQUIPMENT CONFIGURATIONS

Engines: 6.8L Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 ■ Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

PICKUP BOX DELETE

Available on F-250 and F-350 Pickups with long wheelbases only. Includes 16K trailer hitch receiver (trailer tow rating limited to 12.5K lbs.). Deletes pickup box, tie-down hooks, bodyside moldings, rear bumper, spare wheel, tire, carrier and jack.

STANDARD FEATURES

MECHANICAL

90,000-mile tune-up interval² (gas engines)

Auxiliary rear springs

Battery saver

Brakes – Hydro-boost (SRW diesel and all DRW)

Brakes – Vacuum-boost (SRW gas)

Engine-Only Traction Control (EOTC) (DRW only)

Fail-safe engine cooling system (gas engines)

Front and rear stabilizer bar

Fuel tank – 28-gallon midship (SRW)

Fuel tank – 40-gallon aft-of-axle (DRW)

Power steering

Stainless steel exhaust system (major components)

Stationary Elevated Idle Control (SEIC)³

Steering damper

Trailer Sway Control (SRW only)

Trailer tow prep includes 7-wire harness (blunt cut) with relays

INTERIOR

Assist and ride handles

Coat hooks – 1 (Regular Cab); 2 in rear of cab (SuperCab and Crew Cab)

Dome light (front and rear with Crew Cab)

Flip-open rear quarter windows (SuperCab)

Overhead console with garage door opener storage and sunglasses storage (SuperCab and Crew Cab)

Power points located on instrument panel (2)

Tilting/telescoping steering column

Upfitter switches located on instrument panel (4)

EXTERIOR

*3-Blink™ lane change signal

Dual-beam jewel-effect headlamps

Front step bumper

Front tow hooks (2)

Roof clearance lamps

Solar-tinted glass

Underhood service lamp

Windshield wipers – Intermittent

SAFETY & SECURITY

4-wheel power disc brakes with Anti-lock Brake System (ABS)

AdvanceTrac® with RSC® (Roll Stability Control™) (SRW only)

Belt-Minder® front safety belt reminder

Brake/shift interlock

Child-safety-seat top tether anchors

(Regular Cab front passenger and all rear-seat positions)

Driver and right-front-passenger front airbags⁴

Front-seat side airbags⁴

Fuel pump inertia shutoff switch

Headlamps-on, key-in-ignition and door ajar alert chimes

Height-adjustable safety belts at front-outboard positions

Passenger airbag deactivation switch (Regular Cab, SuperCab)

Safety belt energy-management retractors at front-outboard positions

Safety Canopy® System with side-curtain airbags⁴

for all rows and rollover sensor

Side-intrusion door beams

SOS Post-Crash Alert System™⁵

OPTIONAL PACKAGES

16,000-lb. GVWR Package (F-450 only)

Ambulance Prep Package (Fleet only) includes dual alternators (combined 357 amps), standard-width axle with F-350 SRW, and wide-track limited-slip axle with F-350 DRW (restrictions apply)

Extra-Heavy-Service Front Suspension Package includes 2-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

Heavy-Service Front Suspension Package includes 1-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

High-Capacity Trailer Tow Package (F-450/F-550 only) includes 30,000-lb. GCWR for F-450 and 35,000-lb. GCWR for F-550 and upgraded rear-axle gear set (trailer brake controller not included)

Low Deflection Package (F-450/F-550 only) includes 2" spacer blocks; recommended for rear-biased loading (restrictions apply)

Payload Downgrade Package (F-450/F-550 only) includes a 15,000-lb. GVWR rating for F-450 and a 17,500-lb. GVWR rating for F-550

Payload Upgrade Package (F-350 SRW only) increases GVWR for increased payload range (restrictions apply)

Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only) increases GVWR to 19,000 lbs. and includes upgraded frame and rear axle

Payload Plus Upgrade Package (F-550 only) increases GVWR to 19,500 lbs. and includes upgraded frame, rear axle and springs (restrictions apply)

Snow Plow Prep Package includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only

Trailer Tow Package includes aftermarket trailer brake wiring kit (trailer brake controller not included; restrictions apply)

¹When properly equipped. ²Under normal driving conditions with routine fluid and filter changes. ³Final-stage manufacturer must supply control switches.

⁴Always wear your safety belt and always deactivate the passenger airbag when using a rear-facing child-safety seat in Regular Cab and SuperCab models. Always wear your safety belt and always secure children in the rear seat in Crew Cab models. Passenger airbag may be deleted. ⁵SOS hardware may become damaged or the battery may lose power in a crash, which could prevent operation. Not all crashes will activate an airbag or safety belt pretensioner.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



STANDARD FEATURES



XL

Includes all standard features, plus:

MECHANICAL

6.2L SOHC 2-valve Gas V8 Flex Fuel E85-capable engine (F-350)
6.8L SOHC 3-valve Gas V10 engine (F-450/F-550)
TorqShift® Heavy-Duty 6-speed SelectShift Automatic™ transmission (F-350)
TorqShift 5-speed automatic transmission (F-450/F-550)
17" argent-painted steel wheels (F-350)
LT245/75R17 all-season BSW tires (F-350)
19.5" argent-painted steel wheels (F-450/F-550)
225/70R19.5G all-season BSW tires (F-450/F-550)
Manual 4-wheel-drive system with manual locking hubs (4x4 models only)

SEATING

HD vinyl 40/20/40 split front seat with armrest, cupholders and storage
60/40 split flip-up rear bench seat (SuperCab only)
60/40 flip-up/fold-down rear bench seat with outboard and center head restraints (Crew Cab only)
Manual lumbar support for driver seat

INTERIOR

AM/FM stereo with digital clock and 2 speakers
Black urethane steering wheel
Black vinyl floor covering
Manual air conditioning
Manual day/night rearview mirror
Manual door locks and windows
Multifunction message center plus trip computer includes 3-button steering wheel switch, odometer, trip odometer, engine-hour meter, distance to empty, average fuel economy, oil-life monitor, warning messages, system check, language selection and Ice Blue™ lighting
Visors with passenger mirror

EXTERIOR

Black bar-style grille
Black door handles
Black-painted front bumper with grained top cover
Manually telescoping trailer tow mirrors with 2-way fold and manual glass



XLT

Includes select XL features, plus:

MECHANICAL

Integrated Trailer Brake Controller
17" 5-spoke cast-aluminum wheels (F-350 SRW)

SEATING

40/20/40 split front seat with center underseat lockable storage with 12v power point and center armrest with cupholders and storage
60/40 split flip-up/fold-down rear bench seat with bag hooks, dual integrated cupholders and tray, outboard head restraints, center head restraint and underseat partitioned lockable storage with 12v power point (Crew Cab only)

INTERIOR

Accessory delay for power features
AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers
Auxiliary audio input jack
Color-coordinated floor covering (carpet)
Color-coordinated floor mats (carpet)
Cruise control
MyKey® owner controls feature
Power door locks
Power windows with one-touch-down driver-window feature
Visors with covered driver and passenger mirrors

EXTERIOR

Chrome bar-style grille
Chrome front bumper with grained top cover
Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
Perimeter anti-theft alarm
Privacy glass (rear doors and rear window)
Remote keyless entry with 2 integrated keyhead transmitter remotes



LARIAT

Includes select XLT features, plus:

MECHANICAL

6.7L Power Stroke V8 Turbo Diesel B20-capable engine (F-450/F-550)
TorqShift Heavy-Duty 6-speed SelectShift Automatic transmission (F-450/F-550)
Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only)
18" 6-spoke cast-aluminum wheels (F-350 SRW)
17" forged polished-aluminum wheels (F-350 DRW)
19.5" forged polished-aluminum wheels (F-450/F-550)

SEATING

Premium leather-trimmed two-tone 40/console/40 front bucket seats and flow-thru center console with lockable storage, two 12v power points and a 110v power inverter
Power 10-way driver and front-passenger seats

INTERIOR

Auto-dimming rearview mirror with compass
Color-coordinated leather-wrapped steering wheel with secondary audio controls
Driver-configurable enhanced information center with 4.2" LCD
Productivity Screen includes gauge setup, trip computer, fuel economy and towing/off-road applications, SelectShift controls, halo lighting, daytime illumination, and 5-button steering wheel-mounted switch
Dual-zone Electronic Automatic Temperature Control
Ford SYNC® voice-activated, in-vehicle communications and entertainment system
Premium Sound System AM/FM stereo/single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer
SIRIUS Satellite Radio with 6-month trial subscription
Visors with illuminated driver and passenger mirrors
Woodgrain-style instrument panel accents

EXTERIOR

Autolamp with rainlamp feature
Body-color door handles
Fog lamps
Power-sliding rear window with privacy glass
PowerScope™ power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
SecuriCode™ keyless-entry keypad

New Vehicle Limited Warranty. We want your Ford F-Series Super Duty® Chassis Cab ownership experience to be the best it can be. So under this warranty, your new vehicle comes with 3-year/36,000-mile Bumper-to-Bumper Coverage, 5-year/60,000-mile Powertrain Warranty Coverage, 5-year/50,000-mile Safety Restraint Coverage, and 5-year/unlimited-mile Corrosion (Perforation) Coverage – all with no deductible. The Power Stroke diesel engine gets 5-year/100,000-mile Warranty Coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle, or need towing. Your Ford Dealer can provide complete details on all of these advantages.

Business Preferred Network. Each of the select dealerships in our Business Preferred Network (BPN) is committed to providing quality commercial-oriented products and service, as well as special financing and billing arrangements, to businesses that rely on Ford products. As a BPN customer, your business vehicles receive priority service at your BPN dealership to help get your vehicle back on the road quickly.

Financial Services. Our commercial purchase plans and lines of credit offer attractive rates, negotiable terms and business-friendly options. If you prefer to lease, our CommercialLease™ programs offer a wide variety of package options to meet your needs. For additional information, please visit our website at fordcredit.com/comlend/.

Ford Extended Service Plan. For a purchase or lease, the Ford Extended Service Plan (ESP) gives you "Peace-of-Mind" protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships.

Comparisons based on 2010 competitive models (class is Chassis Cab trucks under 22,000 lbs. GVWR), publicly available information and Ford certification data at time of release. Some features discussed may be optional. Vehicles shown may contain optional and aftermarket upfit equipment. Features shown

may be offered only in combination with other options or subject to additional ordering requirements or limitations. Dimensions and capability ratings shown may vary due to optional features and/or production variability. Following release of the PDF, certain changes in standard equipment, options and the like, or product delays may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.

Garmin is a registered trademark of Garmin Ltd.

Windows is a registered trademark of Microsoft Corporation.

Microlise Group Limited is a company registered in England and Wales with company number 1670983.

SIRIUS is a registered trademark of SIRIUS XM Radio Inc. Subscriptions governed by SIRIUS Terms and Conditions at sirius.com/serviceterms. Service available in the 48 contiguous states and D.C.

© 2010 Ford Motor Company 11FCCWEBPDF

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



XL



17" Argent-Painted Steel
Standard on F-350 SRW



17" Argent-Painted Steel
Standard on F-350 DRW



18" Argent-Painted Steel
Optional on F-350 SRW



19.5" Argent-Painted Steel
Standard on F-450/F-550 DRW



XL Crew Cab in Steel HD Vinyl with 40/20/40 split front seat



F-450 XL Regular Cab 4x4 in Oxford White with available and aftermarket equipment

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



XL OPTIONAL FEATURES

MECHANICAL

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine
 Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only; n/a with 6.8L gas engine)
 18" argent-painted steel wheels – 4 (F-350 SRW)
 LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)
 LT275/65R18 all-season BSW tires – 4 (F-350 SRW)
 LT275/70R18E all-terrain BSW tires – 4 (F-350 SRW 4x4 only)
 225/70R19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)
 225/70R19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)
 Dual alternators with 357-amp total (diesel engine only)
 Engine block heater (standard in 15 cold-weather states)
 Fuel tank – 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)
 Fuel tank – Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only)
 Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)
 Integrated Trailer Brake Controller
 Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)
 Rear axle – Electronic-locking (F-350 SRW only)
 Rear axle – Higher-ratio (F-350 only)
 Rear axle – Limited-slip (DRW only)
 Spare tire/wheel/jack

SEATING

40/mini-console/40 front bucket seats (HD vinyl or cloth)

INTERIOR

Accessory delay for power features¹
 Air conditioning delete (Fleet only)
 AM/FM stereo/single-CD player with MP3 capability, digital clock and 4 speakers (Fleet only option; included with the XL Value Package)
 Auxiliary audio input jack (requires CD player)
 Cruise control (Fleet only)
 Ford SYNC® voice-activated, in-vehicle communications and entertainment system (requires XL Value Package)
 MyKey® owner controls feature (requires Power Equipment Group and CD player)
 Power door locks¹
 Power windows with one-touch-down driver-window feature¹
 Radio delete (Fleet only)
 Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)

EXTERIOR

6" angular Black molded cab steps
 Chrome front bumper with grained top cover²
 Daytime running lamps (Fleet only)
 Manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals¹
 Manual-sliding rear window with privacy glass (Fleet only)
 Remote start system (requires Power Equipment Group)
 Transfer case skid plate (4x4 SuperCab and Crew Cab only)

FORD WORK SOLUTIONS™


In-dash Windows® CE computer with touch screen navigation and hands-free calling (restrictions apply)
 Crew Chief™ – Fleet tracking system (n/a with SYNC or in-dash computer)

PACKAGES

Power Equipment Group includes power door locks and front windows (plus rear on Crew Cab) with one-touch-down driver-window feature; power heated sideview mirrors; accessory delay; remote keyless entry with 2 integrated keypad transmitter remotes; and perimeter anti-theft alarm
 XL Value Package includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers, cruise control, chrome front bumper with grained top cover and bright hub covers and center ornaments (SRW only)
 See **OPTIONAL PACKAGES** section on page 9 for content of the following packages:
 16,000-lb. GVWR Package (F-450 only)
 Ambulance Prep Package (Fleet only)
 Extra-Heavy-Service Front Suspension Package
 Heavy-Service Front Suspension Package
 High-Capacity Trailer Tow Package (F-450/F-550 only)
 Low Deflection Package (F-450/F-550 only)
 Payload Downgrade Package (F-450/F-550 only)
 Payload Upgrade Package (F-350 SRW only)
 Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only)
 Payload Plus Upgrade Package (F-550 only)
 Snow Plow Prep Package (restrictions apply)
 Trailer Tow Package

¹Included as part of Power Equipment Group. ²Included as part of XL Value Package.

EXTERIOR



Oxford White



Vermillion Red



Dark Blue Pearl Metallic



Forest Green Metallic



Ingot Silver Metallic



Sterling Grey Metallic



Tuxedo Black Metallic



Pale Adobe Metallic (Fleet only)

INTERIOR



Steel HD Vinyl
Standard



Steel Cloth
Optional

EXTERIOR COLORS


Oxford White
 Vermillion Red
 Dark Blue Pearl Metallic
 Forest Green Metallic
 Ingot Silver Metallic
 Sterling Grey Metallic
 Tuxedo Black Metallic
 Pale Adobe Metallic

INTERIOR COLORS


■ Steel HD Vinyl ● Steel Cloth

INTERIORS: ■ Steel HD Vinyl ● Steel Cloth


CAB AND SEATING CONFIGURATIONS




Standard 40/20/40 split front seat




Available 40/mini-console/40 front bucket seats



Regular Cab



SuperCab



Crew Cab

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



XLT



17" 5-Spoke Cast-Aluminum
Standard on F-350 SRW



17" Argent-Painted Steel
Standard on F-350 DRW



17" Forged Polished-Aluminum
Optional on F-350 DRW



18" Cast-Aluminum
Optional on F-350 SRW



19.5" Argent-Painted Steel
Standard on F-450/F-550 DRW



19.5" Forged Polished-Aluminum
Optional on F-450/F-550 DRW



XLT Crew Cab in Steel Cloth with flow-thru center console and available equipment



F-450 XLT Regular Cab 4x4 in Vermillion Red with available and aftermarket equipment

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



XLT OPTIONAL FEATURES

MECHANICAL

- 6.7L Power Stroke® V8 Turbo Diesel B20-capable engine
- Electronic Shift-On-the-Fly (ESOF) 4-wheel-drive system with auto/manual locking hubs (4x4 models only; n/a with 6.8L gas engine)
- 17" argent-painted steel wheels (F-350 SRW; Fleet only)
- 17" forged polished-aluminum wheels (F-350 DRW)
- 18" cast-aluminum wheels (F-350 SRW)
- 19.5" forged polished-aluminum wheels (F-450/F-550)
- LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)
- LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)
- LT275/65R18 all-season BSW tires – 4 (F-350 SRW)
- LT275/70R18 all-terrain BSW tires – 4 (F-350 SRW 4x4)
- LT275/70R18 all-terrain OWL tires – 4 (F-350 SRW 4x4)
- 225/70Rx19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)
- 225/70Rx19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)
- Dual alternators with 357-amp total (diesel engine only)
- Engine block heater (standard in 15 cold-weather states)
- Fuel tank – 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)
- Fuel tank – Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only)
- Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)
- Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)
- Rear axle – Electronic-locking (F-350 SRW only)
- Rear axle – Higher-ratio (F-350 only)
- Rear axle – Limited-slip (DRW only)
- Spare tire/wheel/jack

SEATING

- Cloth 40/console/40 front bucket seats and flow-thru console with lockable storage, two 12v power points and a 110v power inverter (SuperCab and Crew Cab only)

INTERIOR

- All-weather floor mats
- Carpet delete (Fleet only)
- Ford SYNC® voice-activated, in-vehicle communications and entertainment system (requires XLT Interior Package)
- Power-adjustable pedals (included in the XLT Interior Package; Fleet only option)
- Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)
- SIRIUS Satellite Radio with 6-month trial subscription

EXTERIOR

- 6" angular Black molded cab steps
- Manual-sliding rear window with privacy glass (Regular Cab only)
- PowerScope™ power-telescoping/-folding trailer tow mirrors with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
- Remote start system
- Transfer case skid plate (4x4 SuperCab and Crew Cab only)

FORD WORK SOLUTIONS™

- In-dash Windows® CE computer with touch screen navigation and hands-free calling (restrictions apply)
- Crew Chief™ – Fleet tracking system (n/a with SYNC or in-dash computer)

PACKAGES

- XLT Interior Package includes 6-way power driver seat, power-adjustable pedals, autolamp with rainlamp feature, autolock, auto-unlock and SecuriCode™ keyless-entry keypad

See **OPTIONAL PACKAGES** section on page 9 for content of the following packages:

- 16,000-lb. GVWR Package (F-450 only)
- Ambulance Prep Package (Fleet only)
- Extra-Heavy-Service Front Suspension Package
- Heavy-Service Front Suspension Package
- High-Capacity Trailer Tow Package (F-450/F-550 only)
- Low Deflection Package (F-450/F-550 only)
- Payload Downgrade Package (F-450/F-550 only)
- Payload Upgrade Package (F-350 SRW only)
- Payload Upgrade Package (F-550 with 141" WB and 6.8L gas engine only)
- Payload Plus Upgrade Package (F-550 only)
- Snow Plow Prep Package (restrictions apply)

EXTERIOR



INTERIOR




EXTERIOR COLORS

EXTERIOR COLORS	INTERIOR COLORS
Oxford White	● ●
Vermillion Red	● ●
Dark Blue Pearl Metallic	● ●
Forest Green Metallic	● ●
Ingot Silver Metallic	● ●
Sterling Grey Metallic	● ●
Tuxedo Black Metallic	● ●
Royal Red Metallic	● ●
Golden Bronze Metallic	● ●
Pale Adobe Metallic	● ●

INTERIORS: ● Adobe Cloth ● Steel Cloth

CAB AND SEATING CONFIGURATIONS



Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.



LARIAT



LARIAT Crew Cab in Adobe Two-Tone Leather with available equipment



17" Forged Polished-Aluminum
Standard on F-350 DRW



18" Bright-Machined Cast-Aluminum
Standard on F-350 SRW



19.5" Forged Polished-Aluminum
Standard on F-450/F-550 DRW



F-550 LARIAT Crew Cab 4x4 in Tuxedo Black with available and aftermarket equipment

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



LARIAT OPTIONAL FEATURES

MECHANICAL

- 6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (F-350 only)
- LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)
- LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)
- LT275/70R18 all-terrain BSW tires – 4 (F-350 SRW 4x4)
- LT275/70R18 all-terrain OWL tires – 4 (F-350 SRW 4x4)
- 225/70R19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)
- 225/70R19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)
- Dual alternators with 357-amp total (diesel engine only)
- Engine block heater (standard in 15 cold-weather states)
- Fuel tank – 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)
- Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)
- Power TakeOff (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live drive and stationary modes with diesel engine only)
- Rear axle – Electronic-locking (F-350 SRW only)
- Rear axle – Higher-ratio (F-350 only)
- Rear axle – Limited-slip (DRW only)
- Spare tire/wheel/jack

SEATING

- Premium leather-trimmed two-tone 40/20/40 split front seat with center underseat lockable storage with 12v power point and center armrest with cupholders and storage
- Heated and cooled driver and front-passenger seats (included with LARIAT Interior Package)

INTERIOR

- All-weather floor mats
- Rapid-Heat Supplemental Cab Heater (requires diesel engine and alternator upgrade)

EXTERIOR

- 6" angular Black molded cab steps
- Remote start system (included with LARIAT Interior Package)
- Transfer case skid plate (4x4 SuperCab and Crew Cab only)

PACKAGES

- LARIAT Interior Package includes memory, power, heated/cooled driver seat; power, heated/cooled passenger seat; memory, power trailer tow mirrors; memory, power-adjustable pedals; and remote start system


See **OPTIONAL PACKAGES** section on page 9 for content of the following packages:

- 16,000-lb. GVWR Package (F-450 only)
- Ambulance Prep Package (Fleet only)
- Extra-Heavy-Service Front Suspension Package
- Heavy-Service Front Suspension Package
- High-Capacity Trailer Tow Package (F-450/F-550 only)
- Low Deflection Package (F-450/F-550 only)
- Payload Downgrade Package (F-450/F-550 only)
- Payload Upgrade Package (F-350 SRW only)
- Payload Plus Upgrade Package (F-550 only)
- Snow Plow Prep Package (restrictions apply)

EXTERIOR



INTERIOR



EXTERIOR COLORS

INTERIOR COLORS


Oxford White	■	■
Vermillion Red		■
Dark Blue Pearl Metallic		■
Forest Green Metallic	■	■
Ingot Silver Metallic		■
Sterling Grey Metallic		■
Tuxedo Black Metallic	■	■
Royal Red Metallic	■	■
Golden Bronze Metallic	■	■
White Platinum Metallic Tri-Coat ¹	■	■
Pale Adobe Metallic	■	■

INTERIORS: ■ Adobe Leather ■ Black Leather
¹Additional-cost option.


CAB AND SEATING CONFIGURATIONS




Standard 40/console/40 front bucket seats



Available 40/20/40 split front seat



SuperCab



Crew Cab

Colors shown are representative only. See your dealer for actual paint/trim options. Fabric patterns and colors are subject to change or substitution without notice.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



TECHNICAL SPECIFICATIONS

5TH-WHEEL TOWING – MAXIMUM LOADED TRAILER WEIGHT RATINGS (LBS.)¹

AUTOMATIC TRANSMISSION

ENGINE	AXLE RATIO	GCWR (LBS.)	F-350 SRW 4x2	F-350 DRW 4x2	F-350 SRW 4x4	F-350 DRW 4x4	F-450 DRW 4x2	F-450 DRW 4x4	F-550 DRW 4x2	F-550 DRW 4x4
REGULAR CAB 6.2L 2-valve Gas V8 FFV	3.73	19,000	12,300	–	11,800	–	–	–	–	–
	4.30	19,500	–	13,300	–	11,800	–	–	–	–
		22,000	15,300	–	14,800	–	–	–	–	–
		22,500	–	16,300	–	14,800	–	–	–	–
		22,500	–	–	–	–	–	–	–	–
6.8L 3-valve Gas V10	4.88	26,000	–	–	–	18,300	17,900	18,200	17,900	
6.7L Diesel V8	3.73	23,500	16,000	–	15,500	–	–	–	–	–
	4.10	24,500	–	16,500	–	–	–	–	–	–
		24,500	–	16,500	–	16,100	–	–	–	–
		26,000	–	–	–	–	17,400	17,000	17,400	17,000
		30,000 ²	–	–	–	–	21,400	21,000	–	–
4.30	35,000 ²	–	–	–	–	–	–	26,400	26,000	
4.88	26,000	–	–	–	–	–	–	17,200	16,900	
		35,000 ²	–	–	–	–	–	26,200	25,900	
SUPERCAB 6.2L 2-valve Gas V8 FFV	3.73	19,000	12,000	–	11,500	–	–	–	–	–
	4.30	19,500	–	12,000	–	11,500	–	–	–	–
		22,000	15,000	–	14,500	–	–	–	–	–
		22,500	–	15,000	–	14,500	–	–	–	–
		22,500	–	–	–	–	–	–	–	–
6.8L 3-valve Gas V10	4.88	26,000	–	–	–	17,800	17,400	17,800	17,400	
6.7L Diesel V8	3.73	23,500	15,500	–	15,000	–	–	–	–	–
	4.10	24,500	–	16,200	–	–	–	–	–	–
		24,500	–	16,200	–	15,600	–	–	–	–
		26,000	–	–	–	15,600	–	–	–	–
		30,000 ²	–	–	–	–	17,000	16,600	17,000	16,600
4.30	35,000 ²	–	–	–	–	21,000	20,600	26,000	25,600	
4.88	26,000	–	–	–	–	–	–	16,800	16,500	
		35,000 ²	–	–	–	–	–	25,800	25,500	
CREW CAB 6.2L 2-valve Gas V8 FFV	3.73	19,000	11,700	–	11,300	–	–	–	–	–
	4.30	19,500	–	11,700	–	11,300	–	–	–	–
		22,000	14,700	–	14,200	–	–	–	–	–
		22,500	–	14,700	–	14,300	–	–	–	–
		22,500	–	–	–	–	–	–	–	–
6.8L 3-valve Gas V10	4.88	26,000	–	–	–	17,600	17,200	17,600	17,200	
6.7L Diesel V8	3.73	23,500	15,300	–	14,800	–	–	–	–	–
	4.10	24,500	–	15,900	–	–	–	–	–	–
		24,500	–	15,900	–	15,500	–	–	–	–
		26,000	–	–	–	15,500	–	–	–	–
		30,000 ²	–	–	–	–	16,800	16,300	16,800	16,300
4.30	35,000 ²	–	–	–	–	20,800	20,300	25,800	25,300	
4.88	26,000	–	–	–	–	–	–	16,600	16,300	
		35,000 ²	–	–	–	–	–	25,600	25,300	

¹F-350 DRW/F-450/F-550 weights shown are for 141" wheelbase Regular Cab or 176" wheelbase Crew Cab models. For 165", 189", 200" and 201" wheelbase models, weights may be somewhat less (usually not more than 200 lbs., or 400 lbs. with 201" wheelbase). ²Requires optional Payload Upgrade Package. **5th-Wheel Towing Notes:** Trailer weights shown assume 1000 lbs. second-unit body weight. Be sure combined weight of vehicle and trailer does not exceed listed GCWR. Trailer kingpin weight should be 15-25% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer kingpin weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer kingpin weight, and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label. See your Ford Dealer for conventional trailer weights.

DIMENSIONS & WEIGHTS

	REGULAR CAB											
	F-350 SRW 4x2/4x4	F-350 DRW ³ 4x2/4x4	F-350 DRW ³ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase	140.8"	140.8"	164.8"	140.8"	140.8"	188.8"	200.8"	140.8"	164.8"	188.8"	200.8"	
Cab-to-axle	60"	60"	84"	60"	84"	108"	120"	60"	84"	108"	120"	
EXTERIOR												
Height												
Top of cab to ground	76.9"/79.9"	77.3"/80.3"	77.3"/80.3"	80.3"/80.4"	80.4"	80.6"/80.4"	80.6"/80.5"	80.4"/80.5"	80.7"/80.5"	80.7"	80.9"/80.7"	
Top of frame to ground	32.0"/34.2"	32.6"/34.7"	32.3"/34.2"	33.2"/33.4"	33.0"	32.8"/32.9"	32.8"	33.7"/33.8"	33.4"	33.3"/33.2"	33.2"	
Width between frame rails	34.1"	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	
Axle clearance	8.6"	8.2"/8.1"	8.2"	8.1"/8.0"	8.1"	8.1"/8.0"	8.1"	8.4"	8.4"	8.4"	8.4"	
Front track	68.3"	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	
Rear tire outside width	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	
Overall length	226.5"	226.5"	250.5"	226.5"	250.5"	274.5"	286.5"	226.5"	250.5"	274.5"	286.5"	
INTERIOR (front/rear)												
Head room	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	40.7"/–	
Shoulder room	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	68.0"/–	
Hip room	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	67.6"/–	
Leg room	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	41.1"/–	
WEIGHTS												
Max. GVWR ⁴	11,100	13,000	13,000	16,500	16,500	16,500	16,500	19,500	19,500	19,500	19,500	
Max. payload ⁴	4762/4256	7220/6504	6819/6349	9976/9556	9801/9421	9551/9161	9501/9111	12,361/11,966	12,711/12,346	12,466/12,101	12,391/12,051	

³Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2" ⁴When properly equipped.

Note: Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment. SRW = single rear wheel DRW = dual rear wheel

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com



MECHANICAL

FRONT SUSPENSION

Type	Twin-I-Beam (F-350 4x2); solid Twin-Coil Monobeam axle (F-350 4x4, F-450/F-550)
Axle (rating @ ground)	5250 lbs. (F-350 4x2); 6000 lbs. (F-350 4x4); 7000 lbs. (F-450/F-550)
Springs	Coil
Shock absorbers	1.38" gas type
Stabilizer bar	Standard

REAR SUSPENSION

Type	Solid axle
Axle (rating @ ground)	7280 lbs. (F-350 SRW); 9750 lbs. (F-350 DRW); 12,000 lbs. (F-450); 13,660 lbs. (F-550)
Springs	Leaf
Shock absorbers	1.38" gas type
Stabilizer bar	Standard

STEERING

Type	Parallel linkage (F-350 4x2); cross-tie linkage (4x4 and F-450/F-550 4x2)
Assist	Power
Overall ratio	20.49:1 (F-350 4x2); 20.41:1 (F-350 4x4); 17.8:1 average (F-450/F-550)

BRAKES

Type	4-wheel vented-disc ABS (standard)
Front	
Rotor diameter	13.66" (F-350); 14.53" (F-450/F-550)
Lining area (sq. in.)	34.9 (F-350); 55.6 (F-450/F-550)
Rear	
Rotor diameter	13.39" (F-350); 15.35" (F-450/F-550)
Lining area (sq. in.)	38.2 (F-350); 55.6 (F-450/F-550)

WHEELS

Type	Steel (standard); aluminum (optional)
Size	17" SRW/DRW, 18" SRW (F-350); 19.5" (F-450/F-550)
Number of studs	8 (F-350); 10 (F-450/F-550)
Bolt-circle diameter	6.7" (F-350 SRW); 7.87" (F-350 DRW); 8.85" (F-450/F-550)

POWERTRAINS

	6.7L V8 TURBO DIESEL	6.2L 2-VALVE GAS V8 FFV ¹	6.8L 3-VALVE GAS V10
Configuration	OHV (32-valve)	SOHC	SOHC
Fuel injection	High-pressure common-rail	Sequential electronic	Sequential electronic
Engine control system	Electronic	Electronic	Electronic
Induction system	Single-sequential turbocharger with charged air cooler	Specially tuned	Specially tuned
Battery	Dual 12-volt; 750-CCA/78-amp-hr	12-volt; 650-CCA/72-amp-hr	12-volt; 650-CCA/72-amp-hr
Alternator	157-amp (single 200-amp or dual combined 357-amp, optional)	157-amp	157-amp
Cooling system	Pressurized series flow	Pressurized series flow	Pressurized series flow
Oil-life monitor	Intelligent Oil-Life Monitor™	Oil-minder system	Oil-minder system
Cylinders	8	8	10
Cylinder head	Aluminum	Aluminum	Aluminum
Block material	Compacted graphite iron	Cast iron	Cast iron
Valve operation	Push rod/rocker arms	Roller-rocker shaft	Hydraulic roller
Camshaft drive	Gear	Silent chain	Silent chain
Bore	3.90"	4.02"	3.55"
Stroke	4.25"	3.74"	4.17"
Compression ratio	16.2:1	9.8:1	9.2:1
Horsepower/rpm	300 @ 2800	385 @ 5500 ² /316 @ 4179 ³	362 @ 4750
Torque lb.-ft./rpm	660 @ 1600	405 @ 4500 ² /397 @ 4179 ³	457 @ 3250
Recommended fuel	Ultra-Low-Sulfur Diesel or B20 (containing 20% or less biodiesel)	Regular unleaded or E85	Regular unleaded

¹Certified to SAE J1349. ²Under 10K GVWR. ³Over 10K GVWR.

TRANSMISSION

Type	6-speed TorqShift® automatic with SelectShift (6.7L diesel, 6.2L gas)	5-speed TorqShift automatic (6.8L gas V10)																					
Case material	Aluminum	Aluminum																					
PTO	Live-Drive access on driver side (diesel only)	Access on driver side																					
Gear ratios	<table border="1"> <tr><td>1st</td><td>3.97:1</td></tr> <tr><td>2nd</td><td>2.32:1</td></tr> <tr><td>3rd</td><td>1.52:1</td></tr> <tr><td>4th</td><td>1.15:1</td></tr> <tr><td>5th</td><td>0.86:1</td></tr> <tr><td>6th</td><td>0.67:1</td></tr> <tr><td>Reverse</td><td>3.13:1</td></tr> </table>	1st	3.97:1	2nd	2.32:1	3rd	1.52:1	4th	1.15:1	5th	0.86:1	6th	0.67:1	Reverse	3.13:1	<table border="1"> <tr><td>3.11:1</td></tr> <tr><td>2.20:1</td></tr> <tr><td>1.55:1</td></tr> <tr><td>1.00:1</td></tr> <tr><td>0.71:1</td></tr> <tr><td>—</td></tr> <tr><td>2.88:1</td></tr> </table>	3.11:1	2.20:1	1.55:1	1.00:1	0.71:1	—	2.88:1
1st	3.97:1																						
2nd	2.32:1																						
3rd	1.52:1																						
4th	1.15:1																						
5th	0.86:1																						
6th	0.67:1																						
Reverse	3.13:1																						
3.11:1																							
2.20:1																							
1.55:1																							
1.00:1																							
0.71:1																							
—																							
2.88:1																							

DIMENSIONS & WEIGHTS (cont.)

	SUPERCAB						CREW CAB					
	F-350 SRW 4x2/4x4	F-350 DRW ⁴ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-350 SRW 4x2/4x4	F-350 DRW ⁴ 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase	161.8"	161.8"	161.8"	185.8"	161.8"	185.8"	176.2"	176.2"	176.2"	200.2"	176.2"	200.2"
Cab-to-axle	60"	60"	60"	84"	60"	84"	60"	60"	60"	84"	60"	84"
EXTERIOR												
Height												
Top of cab to ground	76.7"/79.7"	77.0"/80.1"	80.3"	80.4"	80.4"	80.5"	77.7"/80.5"	78.0"/80.8"	80.6"	80.6"	80.8"	80.9"/80.8"
Top of frame to ground	31.7"/33.5"	32.2"/34.1"	32.9"/32.8"	32.8"/32.7"	33.4"/33.3"	33.3"/33.2"	31.4"/33.3"	32.1"/34.0"	32.9"/32.8"	32.8"/32.7"	33.3"	33.2"
Width between frame rails	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"
Axle clearance	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"
Front track	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"
Rear tire outside width	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"
Overall length	247.5"	247.5"	247.5"	271.5"	247.5"	271.5"	261.9"	261.9"	261.9"	285.9"	261.9"	285.9"
INTERIOR (front/rear)												
Head room	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"
Shoulder room	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"	68.0"	68.0"	68.0"	68.0"	68.0"
Hip room	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"	67.6"	67.6"	67.6"	67.6"	67.6"
Leg room	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"
WEIGHTS												
Max. GVWR ⁵	11,500	13,000	16,500	16,500	19,500	19,500	11,500	13,000	16,500	16,500	19,500	19,500
Max. payload ⁵	4725/4170	6654/6152	9511/9121	9121/8761	12,431/12,021	12,111/11,701	4468/4031	6351/5959	9326/8923	9171/8811	12,246/11,866	12,091/11,741

⁴Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2" ⁵When properly equipped.

2011 ALL-NEW SUPER DUTY® CHASSIS CAB

commtruck.ford.com

